

APPENDIX 1.....	1
APPENDIX 1A : ARCHAEOLOGICAL AREA SCHEDULE	47

APPENDIX 1

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
X17-1	R73	100m		DC	2907800	6288800
X17-2	R63	100m	6512	CD	2921165	6293629
X17-3	R63	30m	6513	CD	2923312	6293673
X17-4	R63	100m	6514	CD	2923800	6293850
X17-5	R63	30m	6515	CD	2924480	6296408
X17-6	R63	30m	6516	CD	2922637	6294103
X17-7	R63	30m		CF	2925840	6295098
X17-8	R63	30m	6517	AD	2924337	6296461
X17-9	R63	100m	6519	CD	2924883	6296301
X17-10	R63	100m	6519	CD	2923705	6296794
X17-11	R63	100m	6520	CD	2926274	6294594
X17-13	R63	30m	6521	CD	2925834	6292825
X17-15	R63	30m	6523	AO	2925375	6293925
X17-16	R64	100m		AO	2928100	6294600
X17-17	R64	30m		AM	2929334	6293868
X17-18	R63	30m		AM	2926961	6294900
X17-19	R63	30m		AM	2924239	6296507
X17-20	R63	30m	6524	AO	2922925	6296686
X17-21	R63	30m		AM	2923167	6296523
X17-22	R63	100m	6525	AM	2924400	6295700
X17-23	R64	30m		CD	2928102	6303862
X17-24	R64	30m		CD	2928212	6303339
X17-25	R63	30m		CD	2927424	6302284
X17-26	R63	100m		CD	2927290	6302424
X17-27	R63	30m		CD	2926917	6302413
X17-28	R64	30m		CF	2928736	6302231
X17-32	R73	30m		BJ	2908600	6288700
X17-33	R74	100m		BJ	2912512	6285581
X17-34	R73	30m		DZ	2910339	6287008
X17-36	R55	30m		AP	2928250	6304750
X18-1	R89	100m	6526	CD	2928550	6277250
X18-2	R89	30m		CF	2929025	6278520
X18-3	R89	30m		AO	2928321	6277486

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
X18-4	R89	100m	6527	CD	2928010	6277509
X18-5	R89	100m		AO	2928500	6276650
X18-6	R89	100m		AO	2929500	6276050
X18-7	R89	100m	6528	CS	2929179	6276256
X18-8	R89	30m		AO	2929300	6276400
X18-9	R89	100m		AM	2929400	6276150
X18-10	R89	100m		CD	2928850	6276850
X18-11	R89	100m		AO	2929469	6274802
X18-12	R89	30m		CF	2927495	6278715
X18-13	R89	100m		AO	2928358	6277270
X18-14	R89	30m		AO	2929063	6278088
X18-15	R89	100m	6529	CD	2928968	6277956
X18-16	R89	100m	6530	CD	2928993	6277829
X18-17	R89	30m		CD	2929152	6277439
X18-29	R100	100m		AD	2906200	6262300
X18-31	R95	30m		AP	2929020	6271660
X18-32	R95	100m		AP	2929180	6273250
X18-33	R95	100m		AO	2929000	6273300
X18-34	R95	100m		AO	2928900	6272830
X18-35	R95	100m		AO	2928400	6272890
X18-36	R95	30m		AO	2928600	6272900
X18-38	R95	30m		AP	2929750	6271500
X18-39	R95	30m		AO	2928500	6272700
X18-40	R95	30m		AM	2929700	6271500
X18-41	R89	30m		AP	2928750	6276260
X18-42	R100	30m		AT	2902700	6259400
X18-43	R100	30m		EM	2901900	6261000
X18-44	R100	30m		AT	2901350	6261350
X18-45	R100	30m		DG	2901700	6262500
X19-2	R115	30m		CO	2929200	6243600
Y14-1	R2	100m		EL	2964300	6392800
Y14-2	R2	100m		CD	2963800	6393000
Y14-3	R2	100m		AD	2963500	6392800
Y14-5	R2	100m		AP	2961300	6393300
Y14-89	R2	100m		AO	2961200	6393200
Y14-90	R2	100m		CD	2961700	6393100
Y14-91	R2	100m		AO	2964200	6392900

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Y14-92	R2	100m		CD	2962400	6392500
Y14-93	R2	100m		CD	2962500	6392600
Y14-94	R3	100m		CD	2965700	6392000
Y14-95	R2	100m		CD	2960300	6393500
Y14-96	R2	100m		AO	2959700	6393700
Y14-102	R2	100m		AP	2960100	6393400
Y14-161	R2	100m		AP	2962900	6392500
Y14-162	R2	100m		AO	2962600	6392500
Y14-163	R2	100m		AP	2961600	6392900
Y14-164	R2	100m		AD	2961400	6392900
Y14-165	R2	100m		AP	2961300	6392800
Y14-166	R2	100m		AP	2961200	6393000
Y14-167	R2	100m		AD	2964700	6392600
Y14-168	R2	100m		AP	2964400	6392400
Y14-169	R2	100m		AP	2964300	6392500
Y14-170	R2	100m		CF	2963400	6392800
Y14-171	R2	100m		CD	2963200	6392800
Y14-172	R2	100m		AO	2961500	6392600
Y14-173	R2	100m		AP	2961700	6392700
Y14-174	R2	100m		AP	2961600	6392800
Y14-175	R2	100m		AO	2961300	6392600
Y14-188	R3	100m		AP	2965200	6392000
Y14-189	R3	100m		AP	2965200	6392500
Y14-190	R3	100m		CD	2965400	6392500
Y14-191	R3	100m		CD	2965800	6392500
Y14-192	R3	100m		CD	2966400	6392400
Y14-193	R3	100m		AD	2966650	6392900
Y14-194	R3	100m		AP	2966750	6393300
Y14-195	R3	100m		CO	2966650	6393100
Y14-196	R3	100m		AP	2967300	6393400
Y14-197	R3	100m		AO	2967800	6392600
Y14-198	R3	100m		AP	2967300	6392400
Y14-199	R3	100m		AP	2967500	6393000
Y14-200	R3	100m		AP	2966400	6392300
Y14-201	R3	100m		AO	2966500	6392200
Y14-202	R3	100m		AP	2967200	6393900
Y14-203	R3	100m		AM	2967200	6393300

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Y14-204	R3	100m		AO	2967100	6393100
Y14-205	R3	100m		AP	2967000	6393200
Y14-206	R3	100m		AP	2967000	6393200
Y14-207	R3	100m		AP	2967000	6392800
Y14-208	R3	100m		AP	2966900	6393000
Y14-209	R3	100m		AP	2966900	6392800
Y14-221	R2	100m		AP	2960000	6393300
Y14-222	R3	100m		AP	2966000	6392300
Y14-223	R2	100m		BG	2960400	6393300
Y14-231	R2	100m		AD	2959900	6393700
Y14-232	R2	100m		AP	2959800	6393600
Y14-241	R2	100m		AO	2961200	6392500
Y14-242	R2	100m		AO	2961300	6392500
Y14-243	R3	100m		AP	2965300	6391600
Y14-270	R2	100m		AP	2960100	6392700
Y14-271	R2	100m		AP	2960400	6392700
Y14-272	R2	100m		AP	2960700	6392800
Y14-273	R2	100m		AO	2960900	6392700
Y14-274	R2	100m		AP	2960100	6393300
Y14-329	R2	100m		AO	2960100	6393400
Y14-331	R2	100m		BG	2960000	6393400
Y14-332	R2	100m		AP	2960100	6393500
Y14-333	R2	30m		AO	2961900	6390500
Y14-334	R2	30m		CO	2962600	6390900
Y14-336	R2	100m		BG	2959800	6393600
Y14-339	R2	100m		AO	2961400	6392700
Y14-340	R2	30m		AP	2963100	6390100
Y14-342	R2	30m		CF	2964600	6388600
Y14-347	R2	30m		CF	2962100	6392800
Y14-348	R2	100m		BY	2962000	6392800
Y14-349		100m		CF	2964300	6392700
Y14-350	R2	30m		BN	2963000	6392900
Y14-353	R2	30m		AO	2964900	6391900
Y15-1	R32	100m		AO	2967600	6351500
Y15-2	R23	100m		AD	2965500	6358500
Y15-3	R23	100m		CD	2966300	6355200
Y15-6	R22	100m		AP	2956900	6358700

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Y15-7	R23	100m		CD	2963000	6357700
Y15-8	R23	100m		AP	2966900	6354900
Y15-9	R23	100m		GO	2966800	6354900
Y15-10	R23	100m		AM	2966800	6354700
Y15-11	R23	100m		BQ	2967700	6354400
Y15-12	R23	100m		AP	2966300	6355700
Y15-13	R23	100m		AP	2966700	6355700
Y15-14	R23	100m		AP	2966600	6356000
Y15-15	R23	100m		AP	2966700	6355300
Y15-16	R23	100m		AP	2966500	6355000
Y15-17	R23	100m		AP	2966500	6354800
Y15-18	R23	100m		AP	2965900	6355100
Y15-19	R23	100m		AD	2964000	6353100
Y15-20	R32	30m		AO	2964400	6340900
Y15-22	R32	100m		AD	2965300	6349400
Y15-23	R32	100m		AP	2964500	6349400
Y16-1	R39	100m		AD	2951400	6338700
Y16-2	R57	30m		AO	2969600	6314300
Y16-3	R57	30m		AO	2969800	6313600
Y16-4	R57	100m		AM	2969700	6312500
Y16-7	R47	30m		AD	2940300	6316600
Y16-8	R49	100m		AD	2959600	6317500
Y16-9	R57	100m		AD	2968800	6311600
Y16-10	R57	100m		CF	2969300	6311000
Y16-11	R57	30m		CF	2969600	6310800
Y16-12	R57	10m		CF	2965000	6312000
Y16-13	R57	15m		CF	2964700	6312600
Y16-14	R57	30m W(to road), 20m N, 10m S &E		AD	2963400	6315100
Y16-15	R57	10m		AP	2965500	6313700
Y16-16	R57	30m		CF	2969800	6310800
Y16-17	R57	30m		CF	2969600	6314000
Y16-18	R57	30m		CF	2969900	6314200
Y16-19	R40	100m		CF	2968132	6306223
Y16-22	R57	30m		AO	2968114	6304645
Y16-23	R57	30m		AO	2968237	6304764
Y16-24	R57	30m		AO	2968400	6304400

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Y16-25	R57	30m		AO	2969200	6312100
Y16-26	R57	30m		AO	2969300	6312200
Y16-27	R57	30m		AO	2969300	6312300
Y16-28	R57	100m		AO	2968200	6313300
Y16-29	R57	30m		CF	2968100	6313600
Y16-30	R57	30m		CO	2968300	6313700
Y16-31	R57	10m N, 20m E,S &W		AO	2968400	6313800
Y16-32	R57	10m E & W, 20m N & S		CF	2968600	6313800
Y16-34	R57	20m		AP	2968600	6314300
Y16-35	R57	20m		CF	2968900	6314500
Y16-36	R57	15m		CF	2969000	6315100
Y16-37	R57	30m		AO	2969000	6315300
Y16-38	R57	30m		CO	2968900	6315400
Y16-39	R49	15m		CF	2969000	6316000
Y16-40	R49	15m		CF	2969000	6316200
Y16-41	R57	15m		AO	2969100	6316000
Y16-42	R57	30m		CF	2969100	6316000
Y16-43	R57	30m		CF	2969400	6315800
Y16-45	R49	10m		AO	2969100	6316100
Y16-46	R49	10m		AO	2969200	6316300
Y16-47	R49	30m		AP	2969500	6316200
Y16-48	R57	30m		AO	2969500	6316100
Y16-49	R49	30m		CF	2968600	6316900
Y16-52	R49	20m		CO	2969500	6317100
Y16-53	R49	30m		CF	2969700	6317100
Y16-54	R49	100m		CO	2969600	6324400
Y16-55	R49	100m		CO	2969200	6324000
Y16-56	R49	100m		CO	2968800	6324000
Y16-57	R49	100m		CO	2968000	6323700
Y16-58	R49	100m		CF	2969600	6323900
Y16-59	R40	30m		AM	2969600	6328700
Y16-60	R49	30m		CO	2969900	6321700
Y16-61	R49	30m		CF	2968900	6321300
Y16-62	R49	30m		CO	2969000	6321200
Y16-63	R49	100m		AO	2969000	6322600
Y16-64	R49	100m		CF	2969300	6323000
Y16-65	R49	100m		AP	2968600	6324600

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Y16-66	R49	100m		AM	2968300	6324800
Y16-67	R49	100m		CO	2967800	6324600
Y16-68	R49	30m		CD	2967100	6319500
Y16-69	R49	100m		AM	2959900	6317900
Y16-70	R49	30m		CF	2969400	6317500
Y16-71	R49	30m		CF	2969500	6317500
Y16-72	R49	30m		CF	2969600	6317600
Y16-73	R49	30m		AM	2969000	6319600
Y16-74	R49	30m		CO	2969000	6319300
Y16-75	R49	30m		AM	2969700	6319400
Y16-76	R49	30m		AM	2968500	6319200
Y16-77	R40	30m		BD	2964750	6338980
Y16-78	R40	30m		AP	2963550	6334760
Y16-79	R40	30m		AP	2963250	6334950
Y16-80	R40	30m		AO	2963100	6334730
Y16-81	R40	30m		AM	2965630	6334840
Y16-82	R40	30m		AO	2960300	6334350
Y16-83	R40	30m		AP	2960250	6333350
Y16-84	R40	30m		AO	2969697	6316149
Y16-85	R49	30m		AM	2967176	6319328
Y16-86	R49	30m		AM	2967534	6319278
Y16-87	R49	30m		AO	2967816	6319367
Y16-88	R40	30m		AM	2969167	6319248
Y17-2	R67	15m		CD	2966828	6302414
Y17-3	R77	15m		CD	2936400	6291500
Y17-4	R77	100m		CD	2936400	6291400
Y17-5	R67	15m	6531	AM	2968900	6301200
Y17-8	R57	10m		AO	2969260	6308850
Y17-10	R69	15m		CD	2969312	6296900
Y17-11	R67	15m		AM	2970144	6299684
Y17-14	R67	15m		AO	2969788	6299044
Y17-15	R67	15m		CH	2970060	6299019
Y17-19	R57	15m		AO	2968132	6306223
Y17-21	R57	15m		AO	2968250	6306294
Y17-22	R57	10m		AM	2968114	6304645
Y17-23	R57	10m		AW	2968237	6304764
Y17-24	R57	10m		AO	2968400	6304400

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Y17-25	R79	15m		AM	2936759	6281670
Y17-26	R79	15m		AO	2936870	6281403
Y17-27	R79	15m		AO	2937244	6281090
Y17-28	R77	15m		AD	2937100	6290100
Y17-29	R83	15m		AM	2969810	6284979
Y17-30	R82	15m	6532	AM	2969459	6286193
Y17-31	R77	100m	6533	CD	2938376	6287671
Y17-35	R79	15m	6534	CD	2936991	6283064
Y17-36	R79	15m	6535	CD	2936168	6285068
Y17-37	R79	15m	6536	CD	2936713	6284613
Y17-39	U36	15m	6537	CD	2939348	6282345
Y17-42	R77	100m	6538	CD	2938777	6291005
Y17-43	R82	15m		AD	2966480	6287892
Y17-44	R82	15m		AD	2966500	6288900
Y17-45	R82	15m		AD	2966500	6289000
Y17-46	R82	15m		AD	2966273	6289424
Y17-47	R82	15m		AD	2966590	6289262
Y17-49	R79	15m		AG	2937950	6280900
Y17-50	R79	15m		AC	2937950	6280900
Y17-51	R83	100m		AA	2967341	6281244
Y17-52	R83	15m	6539	CD	2967231	6281806
Y17-55	R81	15m		CF	2959718	6280927
Y17-56	R81	15m		AM	2960372	6280334
Y17-57	R81	15m		AO	2960179	6280800
Y17-58	R81	15m		CF	2960138	6280725
Y17-59	R81	15m		AM	2960306	6280601
Y17-60	R81	15m		AM	2960626	6280997
Y17-61	R81	15m		CF	2960467	6281406
Y17-62	R81	15m		AO	2962813	6281039
Y17-63	R81	15m		AO	2962496	6280936
Y17-64	R81	15m		AM	2962339	6280923
Y17-66	R81	15m		AO	2962178	6281554
Y17-67	R81	15m		AO	2962534	6281525
Y17-68	R81	15m		AM	2962817	6281680
Y17-69	R81	15m		AD	2962500	6284100
Y17-70	R81	15m		CF	2962260	6284130
Y17-71	R81	15m		CF	2962388	6284257

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Y17-72	R81	15m		CF	2962240	6283820
Y17-73	R81	15m		AM	2962318	6283740
Y17-74	R81	15m		AO	2962410	6283584
Y17-75	R81	15m		CF	2962416	6283318
Y17-76	R81	15m		AM	2962435	6283240
Y17-77	R81	15m		AM	2962257	6283215
Y17-78	R81	15m		AM	2961707	6283428
Y17-80	R81	15m		AM	2961521	6283257
Y17-81	R81	15m		AM	2962082	6282789
Y17-82	R81	15m		AO	2962072	6282758
Y17-83	R81	15m		AM	2962343	6282934
Y17-84	R81	15m		AO	2962320	6282658
Y17-85	R81	15m		CF	2962300	6282600
Y17-86	R81	15m		AM	2962019	6282422
Y17-87	R81	15m		AM	2962180	6282398
Y17-88	R81	15m		AO	2962230	6282293
Y17-89	R81	15m		AM	2960855	6281648
Y17-90	R81	15m		CF	2960923	6281716
Y17-91	R81	15m		AM	2960804	6281837
Y17-92	R81	15m		AM	2960905	6281810
Y17-94	R81	15m		AM	2959255	6280552
Y17-95	R81	15m		AM	2959264	6280357
Y17-96	R81	15m		AM	2959406	6280073
Y17-97	R57	15m		AO	2969291	6308288
Y17-98	R57	15m		AO	2969391	6308329
Y17-99	R57	15m		AP	2969250	6308627
Y17-101	R57	30m to south & 10m other directions		AO	2969260	6309530
Y17-102	R57	30m to west & 10m other directions		CO	2969495	6309305
Y17-103	R57	15m		AO	2968311	6308416
Y17-104	R57	15m		CF	2968500	6307800
Y17-105	R67	15m		AO	2969200	6299800
Y17-106	R67	15m		AO	2969100	6299900
Y17-107	R67	15m		AM	2969050	6300050
Y17-108	R67	15m		AM	2968314	6300911
Y17-109	R67	15m		CO	2968390	6300723

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Y17-110	R67	15m		AO	2968400	6300900
Y17-111	R67	15m		AM	2968300	6300300
Y17-112	R67	15m		AO	2968600	6300250
Y17-113	R67	15m		AM	2968450	6299850
Y17-114	R67	15m		AM	2968200	6300000
Y17-115	R67	15m		AO	2968500	6299900
Y17-117	R67	15m		AM	2969576	6301713
Y17-119	R67	15m		AM	2969169	6301645
Y17-120	R67	15m		CO	2969893	6300444
Y17-121	R67	15m		AP	2968209	6301663
Y17-122	R67	15m		AP	2968555	6301801
Y17-123	R67	15m		AM	2968700	6302200
Y17-124	R67	15m		AO	2968923	6302445
Y17-125	R67	15m	6540	AO	2969059	6302693
Y17-126	R67	15m		CO	2969041	6302401
Y17-127	R67	15m	6541	CO	2968863	6301393
Y17-128	R67	15m	6542	CO	2968850	6301753
Y17-129	R67	15m		AO	2968900	6299400
Y17-130	R67	15m		CO	2968209	6299653
Y17-131	R67	15m		AM	2969000	6299600
Y17-132	R67	15m		AO	2968027	6299636
Y17-133	R67	15m		CO	2968185	6299560
Y17-135	R67	100m		AM	2968603	6298535
Y17-136	R67	100m		CF	2968782	6299076
Y17-137	R67	15m		CO	2968768	6298763
Y17-138	R69	100m		AM	2968738	6297678
Y17-139	R69	15m		AM	2968996	6297751
Y17-140	R69	15m		AO	2968880	6297737
Y17-142	R69	100m		CO	2969282	6297867
Y17-143	R66(use R67)	15m	6543	CD	2964782	6299940
Y17-144	R67	15m		AO	2965213	6299548
Y17-145	R67	15m	6544	CD	2965583	6299147
Y17-146	R67	15m		CD	2965719	6299005
Y17-147	R67	15m		AO	2965921	6298989
Y17-148	R67	15m		AO	2966083	6298895
Y17-149	R66	15m		CD	2962382	6301384
Y17-150	R66	15m		CO	2962577	6301607

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Y17-151	R66	15m		CF	2962045	6301675
Y17-153	R67	15m		AO	2965900	6302100
Y17-154	R67	15m		AM	2965900	6302100
Y17-155	R67	100m		AO	2965900	6301800
Y17-156	R67	15m		CO	2965800	6301800
Y17-157	R67	15m		CH	2965600	6302000
Y17-158	R67	15m		AM	2965500	6301900
Y17-160	R57	15m		CF	2969551	6309134
Y17-163	R67	15m		AM	2966600	6302200
Y17-164	R67	15m		CF	2966600	6301900
Y17-165	R67	15m		AO	2966664	6301895
Y17-166	R67	15m		CO	2966000	6301700
Y17-167	R67	15m	6545	CO	2966600	6301600
Y17-168	R67	15m	6546	CD	2966748	6301638
Y17-170	R67	15m		AM	2966400	6301300
Y17-171	R67	100m		CF	2966485	6301149
Y17-172	R67	15m		CF	2966300	6301100
Y17-173	R67	15m		CF	2966200	6300800
Y17-174	R67	15m		CF	2966700	6300900
Y17-175	R66	100m		CF	2961300	6300900
Y17-176	R67	100m		AO	2968456	6303144
Y17-177	R67	15m		CF	2968270	6302914
Y17-178	R67	100m	6547	AD	2968133	6302892
Y17-179	R67	15m		CF	2967860	6302625
Y17-180	R67	15m		CF	2967903	6302574
Y17-181	R67	15m		AM	2968027	6302330
Y17-182	R67	15m	6548	AM	2968000	6301850
Y17-183	R67	15m		AM	2967411	6301782
Y17-185	R67	15m		AM	2967200	6301800
Y17-188	R67	15m		AM	2966600	6302400
Y17-189	R67	100m		AM	2966400	6301900
Y17-190	R67	100m		AO	2965900	6301700
Y17-191	R66	15m		AM	2957700	6301600
Y17-192	R67	15m		AM	2965800	6301200
Y17-193	R67	15m		AM	2965600	6301100
Y17-194	R67	15m		CF	2965900	6300900
Y17-195	R67	15m		CO	2967662	6300800

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Y17-197	R67	15m		CF	2967400	6300700
Y17-198	R67	100m		AO	2967413	6300625
Y17-199	R67	15m		AO	2967306	6300474
Y17-200	R67	100m	6549	DC	2967150	6300434
Y17-201	R67	15m		AO	2967100	6300000
Y17-202	R67	15m		AO	2967419	6300310
Y17-203	R67	15m		AP	2966373	6298602
Y17-204	R69	15m		CO	2969909	6296243
Y17-205	R69	15m		AM	2969549	6296943
Y17-206	R69	15m		CO	2968584	6297413
Y17-207	R67	15m		AM	2967716	6299125
Y17-209	R69	15m		AO	2968157	6297665
Y17-210	R67	15m		CO	2968094	6298897
Y17-213	R66	15m	6550	AO	2964200	6302600
Y17-218	R67	15m		AO	2967344	6301740
Y17-219	R66	15m		CD	2960900	6299000
Y17-220	R57	15m		CF	2963300	6306000
Y17-221	R57	15m		CD	2963800	6305700
Y17-222	R57	15m		CF	2963700	6305700
Y17-223	R57	15m		AO	2963670	6305200
Y17-224	R57	15m		CF	2962908	6306351
Y17-225	R57	30m		CF	2961245	6305512
Y17-226	R57	20m east & south; to the edge of road north & west		CD	2961302	6306000
Y17-227	R57	20m		CF	2961220	6306171
Y17-228	R57	20m		CO	2961639	6306100
Y17-229	R67	15m		AM	2966900	6303700
Y17-230	R67	10m		AO	2967104	6303576
Y17-231	R67	20m		AM	2967483	6303549
Y17-232	R57	10m		AM	2968030	6304187
Y17-233	R67	15m		AM	2967500	6303700
Y17-234	R67	15m		AO	2967500	6303500
Y17-235	R67	15m		AO	2967591	6303518
Y17-236	R67	15m		AO	2967410	6303465
Y17-237	R67	20m		AM	2967193	6303597
Y17-238	R64	15m		AM	2937184	6303179

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Y17-239	R67	15m		AM	2966929	6303392
Y17-240	R67	15m		CO	2967115	6303094
Y17-241	R66 & R67 (BOTH)	15m		CO	2964708	6303004
Y17-242	R66	15m		CO	2964400	6302650
Y17-243	R66 & R67 (BOTH)	100m		AO	2964629	6303470
Y17-244	R66 & R67 (BOTH)	15m		CF	2964966	6303481
Y17-245	R67	100m		CF	2965076	6303394
Y17-246	R67	100m		AO	2965300	6303400
Y17-247	R67	15m		CO	2965400	6303600
Y17-248	R67	15m		CO	2969740	6302813
Y17-249	R67	15m		AO	2965114	6303165
Y17-250	R67	15m		CO	2966484	6303047
Y17-251	R67	15m		CF	2966544	6303007
Y17-252	R67	15m		AO	2966649	6302978
Y17-253	R67	15m		AO	2966750	6302820
Y17-254	R67	15m		CF	2966030	6302915
Y17-255	R67	15m		AO	2965889	6302959
Y17-256	R67	15m		CD	2966086	6303089
Y17-257	R67	15m		CD	2965909	6303272
Y17-259	R57	15m		CD	2959976	6307140
Y17-260	R57	30m		AM	2960200	6307000
Y17-261	R67	15m		CO	2966800	6300700
Y17-264	R67	15m		CF	2966385	6299405
Y17-266	R67	15m		CO	2965527	6299510
Y17-268	R67	100m	6553	AO	2965700	6299300
Y17-269	R67	15m	6554	CF	2965729	6299292
Y17-270	R67	15m	6555	AO	2966004	6299080
Y17-271	R67	15m		AO	2966464	6298794
Y17-272	R66	15m		AO	2962623	6303146
Y17-273	R66	100m		EI	2963287	6302908
Y17-274	R66	15m		CO	2962466	6303331
Y17-275	R57	100m		AO	2969481	6307532
Y17-277	R69	15m	6556	CF	2968544	6297691
Y17-280	R67	15m		AO	2968354	6298032
Y17-283	R66	15m		CD	2962147	6303805
Y17-284	R66	15m		AO	2962714	6303742
Y17-286	R57	15m		CF	2962336	6304076

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Y17-288	R66	15m		AO	2963156	6303919
Y17-289	R66	15m		AO	2963216	6303703
Y17-291	R66	15m		CO	2963239	6303197
Y17-292	R66	15m		CF	2963317	6303448
Y17-293	R66	15m		CF	2963600	6303653
Y17-294	R67	15m		AM	2966400	6301500
Y17-296	R57	15m		CO	2964500	6307000
Y17-297	R57	15m		AO	2964840	6306899
Y17-298	R57	15m		AO	2965200	6307500
Y17-299	R57	15m		CO	2963200	6308000
Y17-301	R66	15m		AO	2962572	6301424
Y17-302	R66	15m		AO	2962022	6301798
Y17-303	R66	15m		CO	2962526	6303715
Y17-304	U35	15m		CF	2934995	6291619
Y17-305	R64	100m	7245	CD	2935369	6293865
Y17-306	R79	15m	6557	CD	2940500	6280700
Y17-307	R79	100m	6558	CD	2939900	6281600
Y17-308	R79	15m		AM	2938029	6285475
Y17-309	R79	15m		AM	2937996	6285427
Y17-310	R79	100m		CD	2938224	6285585
Y17-311	R77	100m	6559	AO	2938700	6286100
Y17-312	R79	15m	6560	CD	2940057	6280800
Y17-313	R79	15m		AM	2938500	6285400
Y17-314	R64	15m	6561	CD	2930492	6292760
Y17-315	R64	15m	6562	DC	2931261	6292962
Y17-316	R64	100m	6563	CD	2932528	6294296
Y17-317	R83	15m		AV	2966254	6280581
Y17-318	R83	15m		AA	2967141	6280698
Y17-319	R83	100m	6564	AX	2966070	6280884
Y17-320	R83	15m	6565	CF	2965855	6280755
Y17-321	R83	15m		AP	2967260	6283492
Y17-322	R83	15m		CO	2965402	6281034
Y17-323	R83	15m	6566	CF	2967400	6283200
Y17-324	R83	15m		AM	2966952	6282496
Y17-325	R83	15m		CO	2967292	6282234
Y17-326	R83	15m		CO	2968415	6285765
Y17-327	R83	15m		CO	2968425	6285277

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Y17-328	R83	15m		AM	2969100	6283000
Y17-329	R83	15m	6567	AD	2969793	6283174
Y17-330	R83	15m		CO	2969800	6284100
Y17-331	R83	15m	6568	AO	2969192	6285523
Y17-332	R83	15m		AO	2967466	6285972
Y17-333	R82	15m		AO	2967514	6286145
Y17-334	R83	15m		CF	2967628	6284806
Y17-335	R83	15m	6569	CF	2967774	6283883
Y17-336	R82	100m	6570	CD	2967019	6286878
Y17-337	R83	15m		CO	2967935	6284692
Y17-338	R83	15m		CF	2968224	6282708
Y17-340	R82	15m		AM	2966606	6288066
Y17-341	R82	15m		CO	2969825	6286225
Y17-342	R83	15m		CO	2968490	6284772
Y17-343	R83	15m		CO	2968863	6284870
Y17-347	R83	15m	6571	AO	2967757	6284229
Y17-348	R83	15m	6572	AO	2968440	6282612
Y17-349	R83	15m	6573	CD	2968930	6283117
Y17-350	R83	15m		CO	2968020	6281370
Y17-351	R83	15m	6574	CD	2968032	6283033
Y17-353	R83	15m	6575	AO	2967781	6284701
Y17-354	R83	100m	6576	CD	2967601	6282178
Y17-355	R83	15m		CO	2967671	6285917
Y17-356	R83	100m	6577	AO	2968333	6282020
Y17-357	R83	15m		CO	2968507	6283402
Y17-358	R83	15m	6578	AO	2968440	6282636
Y17-359	R83	15m		CO	2968722	6282871
Y17-360	R82	15m		CO	2967836	6286310
Y17-361	R82	15m	6579	CO	2968423	6286636
Y17-362	R82	15m		CO	2968800	6286600
Y17-363	R82	15m		CO	2968592	6286476
Y17-364	R82	100m	6580	AO	2969196	6287144
Y17-366	R83	15m		CO	2965594	6280768
Y17-367	R83	15m	6581	AO	2965622	6280760
Y17-368	R83	15m		AO	2966835	6283030
Y17-369	R83	15m		AO	2965564	6280598
Y17-372	R83	15m		CO	2969353	6284867

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Y17-374	R83	15m		CO	2967436	6282482
Y17-375	R83	15m		CO	2967522	6283159
Y17-376	R83	15m		AP	2965642	6280653
Y17-377	R82	15m		AO	2969909	6286248
Y17-378	R83	15m		CO	2967858	6282018
Y17-379	R83	15m		CO	2967851	6281700
Y17-380	R83	15m		AO	2968074	6282538
Y17-381	R83	15m		AO	2968074	6282538
Y17-382	R83	15m		AO	2967821	6281882
Y17-383	R82	15m		AO	2969800	6286600
Y17-384	R83	15m		CO	2965634	6280069
Y17-385	R83	15m		CO	2967437	6282309
Y17-386	R83	100m	6583	AO	2969623	6285381
Y17-390	R64	15m		AO	2935704	6292989
Y17-391	R64	15m		BQ	2933574	6301474
Y17-392	R77	100m		CD	2937780	6286585
Y17-396	R79	15m	6584	CD	2937783	6282239
Y17-406	R77	15m		AM	2936753	6288374
Y17-408	R79	15m		AO	2938703	6285851
Y17-410	R77	15m		CF	2938295	6286855
Y17-411	R77	15m	6587	AO	2938369	6287067
Y17-412	R77	100m	6588	AO	2938183	6287191
Y17-413	R79	15m		AO	2938963	6285965
Y17-418	U37	100m	6589	AD	2939291	6281250
Y17-419	U37	100m	6590	CD	2939150	6281250
Y17-420	U37	100m	6591	AO	2939700	6281200
Y17-422	U36	15m	6592	AD	2939700	6282300
Y17-423	R79	15m		BJ	2938506	6280600
Y17-429	R77	100m		AO	2936400	6291600
Y17-430	R77	100m		AD	2936850	6291500
Y17-432	R64	15m		AP	2930719	6292398
Y17-433	R76	100m		AM	2931636	6291128
Y17-434	R76	15m		AM	2932063	6291008
Y17-437	U35	15m		AO	2934265	6291521
Y17-438	R77	15m		AP	2936100	6290600
Y17-440	R64	15m	7246	CD	2935493	6294043
Y17-441	R64	15m	7247	AO	2935660	6293122

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Y17-442	R64	100m	6593	AD	2932947	6293276
Y17-443	U34	15m		AD	2933799	6293462
Y17-444	R64	100m	6594	AD	2935050	6294150
Y17-445	R64	100m		AD	2931736	6296906
Y17-446	R64	100m	6595	AD	2931839	6297277
Y17-447	R76	15m		AM	2934835	6289311
Y17-448	R76	15m		AO	2934567	6289531
Y17-449	R76	15m		AM	2934407	6289582
Y17-451	R77	15m	6596	AD	2936890	6289900
Y17-452	R64	100m	7248	AD	2934750	6293950
Y17-453	R79	15m	6597	AO	2936564	6282215
Y17-455	R64	100m		AD	2934200	6300400
Y17-458	R76	15m		AD	2931300	6291900
Y17-461	R64	15m		AD	2934199	6301940
Y17-463	R55	15m		AM	2931506	6304300
Y17-465	U38	100m		AD	2937200	6280100
Y17-466	R79	15m		AO	2936565	6284689
Y17-467	R79	15m		AC	2936265	6284668
Y17-469	R79	15m		CS	2936706	6284171
Y17-470	R79	15m		AO	2936727	6283673
Y17-471	R79	15m	6598	AO	2942045	6280559
Y17-473	R64	15m		AD	2931150	6303215
Y17-474	R55	15m		GS	2938000	6306700
Y17-475	R55	15m		GS	2938200	6307700
Y17-476	R55	15m		GS	2938400	6306300
Y17-477	R55	15m		GS	2938400	6305900
Y17-479	R64	15m		CL	2931480	6295187
Y17-480	R80	15m		AP	2949450	6281500
Y17-481	R80	15m		AP	2948100	6280400
Y17-482	R80	15m		AP	2948300	6281100
Y17-483	R80	15m		AP	2949200	6281600
Y17-484	R80	15m		AP	2948500	6281150
Y17-485	R57	15m		AP	2963160	6305270
Y17-486	R57	15m		AO	2963040	6305270
Y17-487	R57	15m		AM	2963350	6305100
Y17-488	R57	15m		AM	2963350	6305060
Y17-489	R57	15m		AO	2963350	6304840

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Y17490	R57	15m		AO	2963400	6304780
Y17-491	R57	15m		AO	2964050	6304650
Y17-493	R64	15m		CD	2935352	6293872
Y17-494	R81	15m		AP	2962600	6281600
Y17-495	R81	15m		AO	2959400	6280200
Y17-496	R81	15m		AM	2964500	6380800
Y17-497	R81	15m		AM	2961800	6283100
Y17-499	R77	15m		AM	2938300	6286700
Y17-500	R67	15m		AM	2966700	6302000
Y17-501	R67	15m		AM	2966700	6302200
Y17-502	R79	15m		AM	2938477	6285645
Y17-503	R82	15m		AM	2966400	6287700
Y17-504	R83	15m		AM	2967900	6282500
Y17-505	R83	15m		AM	2966800	6282500
Y17-507	R83	15m		AM	2966900	6281800
Y17-508	R83	15m		AM	2966100	6281000
Y17-509	R67	15m		AO	2968800	6301500
Y17-510	R67	15m		AM	2968700	6301800
Y17-511	R67	15m		AO	2965300	6302800
Y17-512	R67	15m		AM	2967400	6299100
Y17-513	R69	15m		AM	2968700	6297800
Y17-514	R69	15m		AM	2968900	6297900
Y17-515	R69	15m		AM	2967800	6296600
Y17-516	R67	15m		AM	2968700	6298200
Y17-517	R67	100m		AM	2968600	6298300
Y17-518	R67	15m		AO	2965500	6299400
Y17-519	R66	15m		AM	2963200	6303100
Y17-520	R66	15m		AM	2963300	6303800
Y17-521	R66	100m		AO	2962800	6303200
Y17-522	R66	15m		AM	2963500	6303300
Y17-523	R67	10m		AO	2967571	6303922
Y17-524	R57(USE R67)	10-20m		AO	2967630	6304014
Y17-525	R67	10-20m		AO	2967433	6303783
Y17-526	R67	10m		AO	2967205	6303578
Y17-528	R83	15m		AM	2969600	6285200
Y17-529	R83	15m		AM	2968400	6283600
Y17-530	R57	15m		AM	2969300	6307600

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Y17-531	R83	15m		AM	2968500	6283200
Y18-1	R89	100m		CD	2932584	6274441
Y18-2	R89	100m		AO	2930717	6275087
Y18-4	R89	15m		CF	2930631	6274724
Y18-5	R95	100m	6599	CD	2931928	6273624
Y18-14	U41	15m		AD	2966000	6279000
Y18-15	R93	15m		CD	2962304	6275601
Y18-17	R104	15m		AD	2948900	6265100
Y18-18	U67	100m		AD	2947628	6268303
Y18-24	R93	100m		AD	2962500	6277757
Y18-25	R99	100m		AD	2957700	6270700
Y18-32	R99	15m		CC	2958889	6273229
Y18-34	R90	100m		DC	2938950	6278050
Y18-35	R90	100m		CD	2936400	6277600
Y18-36	R90	15m		CD	2935057	6278408
Y18-37	R93	15m		CD	2960772	6274890
Y18-38	R93	15m		AM	2959640	6274750
Y18-39	R93	15m		AM	2960534	6274650
Y18-40	R93	15m		CD	2960402	6274704
Y18-41	R93	15m		CF	2960450	6274701
Y18-42	R91	15m		CF	2942700	6278300
Y18-43	R91	15m		AM	2942937	6278352
Y18-44	R93	100m		AM	2960500	6274700
Y18-45	R99	15m		AD	2958621	6273365
Y18-47	U41	15m		AO	2965444	6279152
Y18-49	U66	100m		CO	2952600	6269500
Y18-50	U74	15m		CI	2951000	6266600
Y18-51	R93	15m		AO	2959593	6279658
Y18-52	U67	100m		CE	2947340	6268728
Y18-54	R107	15m		AA	2940029	6258999
Y18-55	R107	100m		CD	2935900	6258000
Y18-57	R107	100m		AD	2940900	6260200
Y18-58	R103	15m	6600	AA	2937356	6263423
Y18-59	R107	15m	6601	AD	2937486	6256950
Y18-60	R107	15m	6602	CD	2937400	6256875
Y18-61	R107	15m	6603	CC	2937225	6256750
Y18-62	R111	15m		AO	2935336	6254819

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Y18-63	R107	100m		CD	2935699	6256884
Y18-64	R107	15m		AM	2936703	6256815
Y18-68	R98	100m		AO	2956600	6271700
Y18-70	R93	20m		CD	2958579	6279481
Y18-71	R93	100m semicircle to east of coordinates		AM	2958947	6279579
Y18-73	R107	15m		DG	2938948	6260906
Y18-75	R103	15m	6604	CD	2936100	6266900
Y18-76	R107	15m		CD	2936400	6260900
Y18-77	R107	15m		AO	2936300	6260800
Y18-78	R107	15m		AM	2936148	6260568
Y18-79	R107	15m		AO	2936400	6260700
Y18-80	R107	15m		AO	2936500	6260800
Y18-81	R107	15m		AO	2936565	6260386
Y18-82	R107	15m		AM	2936350	6260243
Y18-83	R107	15m		AO	2936779	6260443
Y18-84	U51	100m		AO	2948100	6271300
Y18-88	R107	15m		AP	2939595	6260306
Y18-89	R107	15m		CC	2939816	6260040
Y18-90	R107	15m		AA	2940130	6259203
Y18-91	R107	15m		AA	2939725	6258977
Y18-92	R107	15m		AM	2938094	6258088
Y18-93	R107	15m		AM	2938180	6257785
Y18-94	R107	15m		CD	2938637	6257238
Y18-95	R107	15m		AM	2938471	6257811
Y18-96	R107	15m		CD	2938111	6257215
Y18-97	R106	15m		AM	2934700	6257000
Y18-98	R107	15m		AM	2935097	6256192
Y18-99	R110(USE R111)	15m		AM	2934967	6255891
Y18-100	R111	15m		AM	2935174	6255343
Y18-101	R107	100m		CD	2935900	6256300
Y18-102	R107	15m		AM	2935900	6256100
Y18-103	R106	15m		AM	2934800	6257700
Y18-104	R106	15m		AM	2934000	6257700
Y18-105	R106	15m		AM	2933628	6259591
Y18-106	R106	15m		AM	2933731	6259601
Y18-107	R107	100m		AO	2935343	6259330

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Y18-108	R107	15m		AM	2935852	6259318
Y18-109	R107	15m		AM	2935746	6259071
Y18-110	R107	15m		AM	2936689	6259777
Y18-112	R107	100m		AM	2935600	6258300
Y18-113	R107	15m		AM	2936048	6261197
Y18-114	R107	15m		AO	2936353	6261453
Y18-115	R103	15m		AV	2936315	6266175
Y18-116	R96	15m		AO	2935329	6268427
Y18-117	R96	15m		CB	2935451	6268969
Y18-119	R102	15m		AO	2933950	6267850
Y18-121	R103	15m		CC	2936700	6266150
Y18-122	R95	15m		AO	2932872	6269033
Y18-123	R95	15m		AM	2932420	6270680
Y18-124	R95	100m		AM	2932323	6271265
Y18-125	R95	15m		AO	2933050	6270950
Y18-126	R95	15m		AM	2933750	6270750
Y18-127	R95	15m		AM	2934026	6270290
Y18-128	R95	30m		AO	2934100	6269743
Y18-129	R95	15m		AM	2931400	6272278
Y18-130	R95	15m		AO	2934645	6272217
Y18-134	R89	100m		AD	2934286	6274693
Y18-135	R96	100m		DC	2935578	6273788
Y18-136	R89	15m		AO	2930441	6275364
Y18-144	R89	15m		AO	2934236	6276331
Y18-145	R89	15m		AM	2933710	6276956
Y18-146	R89	15m		AM	2933236	6277691
Y18-147	R89	15m		AO	2933767	6277775
Y18-149	U39	100m		AO	2936050	6277950
Y18-150	U77	15m		CE	2937000	6268800
Y18-151	R89	15m		AO	2933857	6278080
Y18-152	R89	100m		AO	2933831	6277516
Y18-153	R89	15m		AM	2934654	6276658
Y18-154	R89	15m		AO	2934798	6276632
Y18-160	R96	15m		AA	2939400	6271150
Y18-163	R90	15m		CC	2938750	6277950
Y18-172	R107	15m		CE	2938600	6261450
Y18-173	R107	15m		CE	2938639	6261480

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Y18-174	R107	15m		CE	2938724	6261144
Y18-175	R107	15m		CE	2938744	6260954
Y18-177	R107	15m		AM	2939965	6259776
Y18-178	R107	15m		CE	2938980	6260573
Y18-179	R107	15m		AA	2939650	6259200
Y18-181	U78	15m		AP	2937628	6260512
Y18-187	R91	100m		CD	2944003	6277405
Y18-188	R91	15m		AO	2944274	6277299
Y18-189	R91	15m		AP	2944395	6277640
Y18-190	R91	100m		CD	2946150	6276550
Y18-192	R91	15m		AM	2947100	6275500
Y18-195	R95	100m	6605	CD	2932229	6273123
Y18-200	R102	15m		AO	2934545	6264492
Y18-201	R103	15m		CF	2935302	6263974
Y18-202	R103	15m		CF	2935409	6264125
Y18-203	R103	15m		AM	2935487	6264532
Y18-204	R90	15m		DL	2940475	6274000
Y18-205	R102	15m		CD	2932151	6266408
Y18-206	R102	15m		CF	2932634	6266251
Y18-207	R102	30m		AM	2933279	6264541
Y18-208	R107	15m	6606	AD	2937100	6256750
Y18-212	R111	15m		AM	2937120	6255765
Y18-213	R111	15m	6607	AO	2937025	6255554
Y18-214	R111	15m		AM	2936974	6255484
Y18-215	R111	15m	6608	AO	2936691	6255425
Y18-216	R111	15m		AO	2936757	6255104
Y18-217	R111	15m		AO	2936452	6254660
Y18-218	R111	15m	6609	AO	2936387	6255265
Y18-219	R111	15m		AO	2936559	6255361
Y18-220	R107	15m	6610	AO	2936900	6256100
Y18-221	R107	15m	6611	AO	2936767	6256138
Y18-222	R111	15m	6612	AO	2936577	6255921
Y18-223	R111	15m		AP	2936618	6255822
Y18-224	R111	15m		AM	2936634	6255620
Y18-225	R111	15m	6613	AO	2936596	6255555
Y18-226	R107	15m	6614	AO	2936300	6256600
Y18-227	R111	15m		AO	2936116	6255274

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Y18-228	R111	15m		AO	2935777	6254257
Y18-229	R111	15m		AO	2935913	6254247
Y18-230	R111	100m		AO	2936437	6254332
Y18-231	R111	15m		AO	2936499	6254302
Y18-232	R111	15m		AM	2936522	6254477
Y18-233	R111	100m		AO	2936377	6254582
Y18-234	R111	15m		AM	2935512	6253993
Y18-235	R111	15m		AM	2935670	6254087
Y18-236	R111	15m		AM	2935762	6253780
Y18-237	R111	15m		AO	2935827	6253906
Y18-238	R111	15m		AM	2936040	6253719
Y18-239	R111	15m		AO	2936254	6253763
Y18-240	R111	15m		AM	2936501	6253626
Y18-241	R111	15m		AO	2936600	6253700
Y18-242	R111	15m		AM	2936869	6253732
Y18-243	R111	15m		AM	2936937	6253415
Y18-244	R111	15m		AO	2936852	6253451
Y18-245	R111	15m		AO	2936327	6253838
Y18-246	R111	100m		AM	2936900	6253300
Y18-247	R111	100m		AO	2936479	6253227
Y18-248	R111	15m		AO	2936212	6253344
Y18-249	R111	15m		AO	2936157	6253276
Y18-250	R111	15m		CD	2935979	6253383
Y18-251	R111	100m		AO	2935172	6254834
Y18-252	R110	100m		AO	2934763	6254668
Y18-253	R110	15m		AO	2934622	6254753
Y18-254	R110	15m		AO	2934378	6254777
Y18-255	R110	15m		AO	2934167	6254544
Y18-256	R110	15m		AM	2934041	6254420
Y18-257	R110	100m		AO	2933862	6254173
Y18-258	R110	15m		AM	2933948	6254004
Y18-259	R110	100m		AM	2934250	6253950
Y18-260	R110	15m		AM	2934819	6253863
Y18-262	R103	15m		AP	2937090	6262049
Y18-263	R103	15m	6615	AP	2937113	6262072
Y18-264	R103	15m		AO	2937082	6262315
Y18-265	R103	100m	6616	CD	2936972	6262923

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Y18-266	R103	15m		AM	2936363	6262989
Y18-267	R103	15m		AM	2936197	6262691
Y18-268	R103	15m	6617	CF	2935853	6262578
Y18-269	R103	15m		AM	2935790	6262553
Y18-270	R103	15m		AM	2935954	6262014
Y18-271	R103	100m	6618	AO	2935457	6262616
Y18-272	R102	15m		AM	2934876	6263369
Y18-273	R103	15m		AM	2935506	6263671
Y18-274	R103	15m	6619	AO	2935605	6263740
Y18-275	R103	15m		AM	2935739	6263941
Y18-276	R103	15m		AM	2936047	6263808
Y18-277	R103	15m		AO	2935844	6263374
Y18-278	R103	15m		AO	2935911	6264099
Y18-279	R103	100m	6620	AM	2936115	6264343
Y18-280	R103	15m		AO	2936694	6263817
Y18-281	R103	15m		AO	2936850	6263990
Y18-282	R103	15m		AP	2936701	6264296
Y18-283	R103	15m		AM	2936711	6264576
Y18-284	R103	100m		AO	2936930	6265051
Y18-285	R103	15m		AM	2937046	6265005
Y18-286	R103	15m		AM	2937028	6265374
Y18-287	R102	15m		AM	2933323	6264023
Y18-290	R102	15m		AM	2932458	6264336
Y18-291	R102	15m		AM	2932850	6264400
Y18-294	R103	15m	6621	AA	2936587	6267342
Y18-296	R103	15m	6623	AM	2936855	6267409
Y18-297	R96(under P41)	15m		AM	2936700	6269200
Y18-298	R96	15m		AA	2936398	6269149
Y18-301	R95	15m		AP	2932338	6268710
Y18-302	R102	15m		AP	2931056	6267879
Y18-304	R96	15m		AD	2937200	6269100
Y18-305	R95	100m		AO	2931800	6272020
Y18-306	R95	100m		AO	2932189	6272016
Y18-310	R89	100m		CD	2930290	6275894
Y18-311	R89	15m		AM	2931790	6274828
Y18-313	R89	15m		AP	2934742	6277152
Y18-314	R89	15m		AP	2934418	6276855

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Y18-315	R90	100m		AO	2935200	6279000
Y18-316	R90	15m		AO	2935142	6278313
Y18-317	R90	15m		AO	2935500	6278200
Y18-318	R89	100m		CD	2933810	6278390
Y18-319	R89	15m		AD	2933628	6279248
Y18-322	R89	15m		AO	2934190	6279206
Y18-323	R89	15m		AM	2933574	6279410
Y18-324	R89	15m		AO	2933605	6279633
Y18-325	R89	15m		AP	2934598	6279351
Y18-326	R89	15m		AP	2934736	6278760
Y18-327	R89	15m		AM	2934762	6278946
Y18-328	R90	15m	6624	CD	2941300	6279926
Y18-330	R91	15m		AM	2942495	6279119
Y18-331	R90	15m		AM	2942306	6278547
Y18-332	R90	15m		AM	2942164	6278544
Y18-333	R91	15m	6625	CD	2943348	6277478
Y18-336	R91	15m		AM	2942700	6278100
Y18-337	R91	100m		AM	2942914	6278138
18-341	U85	15m		AD	2956500	6271200
Y18-342	U41	15m		AD	2965019	6279233
Y18-343	U41	15m		CM	2965400	6279600
Y18-346	R93	15m		AV	2962060	6275535
Y18-348	U77	15m		AD	2936997	6268956
Y18-349	R111	15m		AM	2935868	6251517
Y18-350	R111	30m		AM	2935479	6251836
Y18-351	R111	10m		AM	2935320	6251700
Y18-352	R111	10m		AM	2935484	6251564
Y18-353	R111	10m		AO	2936166	6250895
Y18-354	R111	15m		AM	2936069	6251592
Y18-355		20m		AM	2936104	6251385
Y18-356	R111	30m east; 5m west & south; to road edge north		CD	2935895	6251437
Y18-357	U67	15m		AA	2947483	6268775
Y18-359	U72	100m		AD	2948300	6267200
Y18-363	R95	15m		AP	2930670	6271350
Y18-364	R95	100m		AO	2931000	6272250
Y18-365	R95	15m		AM	2931250	6271680

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Y18-366	R95	15m		AO	2930900	6270700
Y18-367	R95	15m		AP	2931300	6270890
Y18-368	R95	15m		AP	2931570	6270850
Y18-369	R95	100m		AP	2931800	6270800
Y18-370	R95	15m		AP	2931850	6271120
Y18-371	R95	15m		AP	2931850	6271400
Y18-372	R95	15m		AP	2931980	6271400
Y18-373	R95	15m		AP	2932000	6271500
Y18-374	R95	15m		AO	2931980	6271600
Y18-375	R95	15m		AP	2931890	6271750
Y18-376	R95	15m		AP	2931750	6271880
Y18-377	R95	100m		AO	2931740	6272230
Y18-382		15m		GS	2947300	6268900
Y18-384	U85	15m		AV	2956300	6271000
Y18-385	R97	15m		CD	2949950	6273850
Y18-386	R97(use R98)	15m		AM	2949850	6273920
Y18-388	R95	15m		AM	2931900	6270450
Y18-389	R95	15m		AM	2932420	6270680
Y18-394	U62	15m		EY	2947700	6269050
Y18-396	U50	15m		AP	2947700	6271800
Y18-398	R91	15m		AM	2942900	6278000
Y18-399	R91	15m		AO	2942900	6278200
Y18-400	R91	15m		AM	2942900	6278300
Y18-401	R91	15m		AM	2942900	6278400
Y18-402	R91	15m		AM	2942700	6278200
Y18-403	R91	15m		FA	2940501	6273950
Y18-404	R90	15m		GS	2940500	6274150
Y18-405	U67	15m		ES	2947189	6268705
Y18-406	R106	15m		AP	2933400	6256300
Y18-407	R106	15m		AO	2933750	6256700
Y18-408	R106	15m		AM	2933500	6256800
Y18-409	R106	15m		AM	2934200	6256400
Y18-410	R106	15m		AM	2934200	6256500
Y18-411	R106	15m		AO	2934200	6256650
Y18-412	R106	15m		AM	2934200	6256800
Y18-413	R106	15m		AO	2934050	6257650
Y18-414	R106	15m		AO	2934050	6257450

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Y18-415	R106	15m		AO	2934050	6257500
Y18-420	R111	15m		AO	2935850	6252700
Y18-421	R111	15m		AO	2936085	6251626
Y18-423	U66	15m		AO	2952900	6269100
Y18-424	U66	15m		BS	2952700	6269400
Y18-426	U59	nil		BJ	2947330	6269590
Y18-427	R92	100m		AO	2950500	6276600
Y18-428	R92	15m		AM	2950500	6276800
Y18-429	R92	15m		AM	2950900	6277050
Y18-432	R111	10m		AO	2936100	6251000
Y18-433	R111	15m		AM	2936100	6251000
Y18-434	R111	30m to north & east; to stream south & west		AM	2935700	6251500
Y18-437	R89	15m		AM	2933900	6279600
Y18-438	R93	15m		AA	2960500	6274800
Y18-439	R93	15m		AM	2962100	6277300
Y18-440	R93	15m		AM	2960500	6274800
Y18-441	R93	30m		AM	2958700	6279500
Y18-442	R99	100m		AO	2958300	6272600
Y18-443	R93	15m		AM	2960400	6279900
Y18-444	R89	15m		AM	2934100	6279800
Y18-445	R89	15m		AP	2933900	6279800
Y18-446	R95	100m		AM	2932300	6270400
Y18-447	U61	15m		EH	2947200	6269200
Y18-448	U61	15m		AT	2947200	6269200
Y18-449	U60	15m		ER	2947400	6269550
Y18-462	U67	100m		AO	2947788	6268051
Y18-463	U67	100m		AM	2947700	6268425
Y18-464	U67	100m		EK	2947406	6268559
Y18-465	U67	100m		CE	2947450	6268691
Y18-466	U67	100m		CE	2947196	6268611
Y18-467	U67	100m		CE	2947269	6268391
Y18-468	U67	100m		ED	2947639	6268208
Y18-469	U67	100m		DZ	2947560	6268253
Y18-470	R103	50m		AM	2935100	6264259
Y18-471	R103	15m		AO	2935096	6263909
Y18-472	R102	15m		AM	2934877	6263830

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Y18-474	R103	30m		AD	2936749	6267738
Y19-1	R112	30m		AP	2930345	6249320
Y19-2	R112	30m		CO	2930100	6249700
Y19-3	R112	30m		AP	2930100	6249400
Y19-4	R113	30m		AD	2936700	6248450
Y19-5	R113	30m		AA	2936500	6248600
Y19-58	R112	30m		DG	2931580	6248940
Y19-83	R113	30m		CD	2935300	6246100
Z14-1	R4	100m		CD	2976200	6391500
Z14-2	R4	100m		CD	2976800	6389900
Z14-3	U1	100m		CD	2976200	6388700
Z14-4	U1	100m		AP	2975900	6388100
Z14-5	R8	100m		AD	2976300	6386400
Z14-6	R4	100m		CO	2977000	6391000
Z14-7	R4	100m		AO	2977100	6390900
Z14-8	R4	100m		AP	2977000	6391000
Z14-9	R4	100m		AP	2976800	6390700
Z14-10	R4	100m		AO	2976500	6390900
Z14-11	R4	100m		AP	2976200	6391200
Z14-12	R4	100m		AP	2977600	6391400
Z14-13	R4	100m		AM	2977200	6390800
Z14-14	R4	100m		AO	2977600	6390700
Z14-15	R4	100m		CD	2976300	6391600
Z14-16	R4	100m		AO	2975900	6391100
Z14-17	R4	100m		CD	2976100	6391200
Z14-18	R4	100m		AP	2975800	6390900
Z14-19	R4	100m		AM	2975600	6391000
Z14-20	R4	100m		AP	2975500	6391100
Z14-21	R4	100m		AP	2975500	6391300
Z14-22	R4	100m		AP	2975400	6391200
Z14-23	R4	100m		AO	2975300	6391200
Z14-24	R4	100m		AP	2975100	6391700
Z14-25	R4	100m		AO	2975300	6391700
Z14-26	R4	100m		CO	2976100	6391400
Z14-27	R4	100m		CF	2976100	6391700
Z14-28	R4	100m		CO	2976500	6391700
Z14-29	R4	100m		AM	2976600	6391700

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Z14-30	R4	100m		AP	2977000	6391100
Z14-31	R4	100m		AP	2973300	6391600
Z14-32	R4	100m		AO	2973600	6391600
Z14-33	R4	100m		AD	2974300	6391600
Z14-34	R4	100m		AP	2974400	6391400
Z14-35	R4	100m		AO	2974600	6391500
Z14-36	R4	100m		AP	2974700	6391500
Z14-37	R4	100m		AP	2974600	6391600
Z14-38	R4	100m		AP	2974500	6391700
Z14-39	R4	100m		AP	2974900	6391700
Z14-40	R4	100m		AD	2975100	6391800
Z14-41	R4	100m		CF	2976100	6391600
Z14-42	R4	100m		CF	2976000	6391700
Z14-43	R4	100m		CD	2977500	6391200
Z14-44	R4	100m		CF	2977400	6391100
Z14-45	R4	100m		AO	2977300	6391400
Z14-46	R4	100m		AM	2973300	6392200
Z14-47	R4	100m		AP	2973000	6392100
Z14-48	R3	100m		AP	2971300	6391900
Z14-49	R3	100m		AP	2971500	6392500
Z14-50	R3	100m		AP	2971400	6391800
Z14-51	R3	100m		AP	2971100	6392100
Z14-52	R3	100m		CD	2971000	6392300
Z14-53	R3	100m		CD	2970800	6392600
Z14-54	R3	100m		AP	2970900	6392600
Z14-55	R3	100m		BG	2970700	6392300
Z14-56	R3	100m		AO	2970800	6392100
Z14-57	R3	100m		AD	2971600	6392700
Z14-58	R3	100m		CD	2970700	6393000
Z14-59	R3	100m		CD	2970700	6393400
Z14-60	R3	100m		AD	2970700	6393300
Z14-61	R3	100m		AP	2970400	6393300
Z14-62	R3	100m		AM	2970200	6393200
Z14-63	R3	100m		AP	2970300	6393000
Z14-64	R3	100m		AP	2970500	6392600
Z14-65	R4	100m		AM	2976600	6390000
Z14-66	U3	100m		AP	2976400	6386900

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Z14-67	U3	100m		AP	2976000	6387000
Z14-68	U3	100m		AO	2976000	6387300
Z14-69	U3	100m		AP	2976100	6387200
Z14-70	U3	100m		AO	2976200	6387100
Z14-71	U3	100m		AP	2975900	6387500
Z14-72	U3	100m		AO	2975900	6387700
Z14-73	U1	100m		AP	2975900	6387900
Z14-74	U1	100m		AO	2976100	6388600
Z14-75	R4	100m		AP	2975900	6389100
Z14-76	U1	100m		AP	2976100	6388800
Z14-77	U3	100m		AP	2975900	6386700
Z14-78	R8	100m		AP	2975600	6386500
Z14-79	R8	100m		AO	2974100	6387800
Z14-80	R4	100m		AD	2974200	6388400
Z14-81	R4	100m		AD	2976100	6389600
Z14-82	R4	100m		AD	2975900	6389500
Z14-83	R4	100m		AD	2975500	6389500
Z14-84	R8	100m		AP	2975000	6387600
Z14-85	R8	100m		AP	2975200	6387000
Z14-86	R8	100m		AO	2974800	6386300
Z14-87	R8	100m		AM	2975200	6386500
Z14-88	R8	100m		AP	2974800	6386400
Z14-89	U1	100m		AP	2976400	6388800
Z14-90	R4	100m		AD	2976500	6389300
Z14-91	R11	100m		DC	2976500	6380600
Z14-92	U3	100m		AP	2976400	6386900
Z14-93	R14	100m		AA	2997200	6376200
Z14-94	R14	100m		AD	2996800	6376500
Z14-95	R14	100m		AM	2997000	6376400
Z14-96	R4	100m		DC	2978100	6389900
Z14-97	R4	100m		AM	2978200	6389925
Z14-98	R4	100m		AO	2978500	6389980
Z14-99	R4	100m		AO	2979000	6390000
Z14-100	R4	100m		AO	2979200	6390000
Z14-101	R4	100m		AO	2979400	6390100
Z14-102	R4	100m		AD	2979500	6390100
Z14-103	R4	100m		AD	2979800	6390500

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Z14-104	R5	100m		AM	2980000	6390700
Z14-105	R5	100m		AM	2980000	6390700
Z14-106	R4	100m		AP	2977900	6390400
Z14-107	R4	100m		AD	2977700	6390500
Z14-108	R4	100m		AP	2977800	6390100
Z14-109	R4	100m		AD	2978000	6389900
Z14-110	R4	100m		AD	2979000	6391300
Z14-111	R4	100M		AO	2978500	6391400
Z14-112	R4	100m		AP	2978400	6391400
Z14-113	R4	100m		AD	2978400	6390600
Z14-114	R4	100m		AO	2979200	6391000
Z14-115	U4	30m		AD	2978000	6387390
Z14-116	R14	100m		AD	2997800	6377000
Z14-117	R13	100m		AM	2990500	6379500
Z14-118	R12	100m		AD	2980300	6381100
Z14-119	R12	100m		AO	2980600	6381200
Z14-120	R8	100m		AD	2979100	6387100
Z14-121	R11	100m		AD	2977800	6381100
Z14-122	R19	100m		CD	2997200	6373500
Z14-123	R19	100m		AC	2998000	6373400
Z14-124	R19	100m		AM	2998400	6373700
Z14-125	R19	100m		AM	2976600	6380400
Z14-128	R19	100m		AC	2998900	6374200
Z14-129	R19	100m		AD	2999200	6374700
Z14-130	R19	100m		AM	2997300	6373900
Z14-131	R19	100m		AO	2997400	6374400
Z14-132	R19	100m		AD	2997600	6375500
Z14-133	R14	100m		AD	2997900	6376100
Z14-134	R19	100m		AD	2997200	6375200
Z14-135	R19	100m		AO	2997500	6374900
Z14-136	R19	100m		AO	2997500	6374700
Z14-137	R19	100m		AD	2997200	6375400
Z14-138	R14	100m		AD	2998700	6376500
Z14-139	R14	100m		AC	2996400	6377500
Z14-140	R14	100m		AC	2996300	6377600
Z14-141	R14	100m		AF	2995800	6378400
Z14-142	R11	100m		AO	2977600	6376800

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Z14-143	R11	100m		AO	2977100	6377200
Z14-144	U6	100m		AD	2984600	6382300
Z14-145	R12	100m		CD	2983500	6381500
Z14-146	R12	100m		AD	2982300	6381600
Z14-147	R12	100m		AD	2981500	6381000
Z14-148	R9	100m		AD	2986100	6382400
Z14-149	R13	100m		AD	2992500	6381000
Z15-2	R25	100m		CD	2986300	6361800
Z15-3	R25	100m		CF	2986400	6361800
Z15-4	R25	100m		AD	2986400	6361900
Z15-5	R25	100m		CD	2986500	6361600
Z15-6	R25	100m		AO	2986600	6361600
Z15-7	R25	100m		AO	2986700	6361700
Z15-8	R26	100m		AM	2987500	6361100
Z15-9	R25	100m		AM	2986300	6361100
Z15-10	R25	100m		AD	2984000	6361000
Z15-11	R26	100m		AD	2987900	6362900
Z15-12	R26	100m		AD	2988000	6363000
Z15-13	R26	100m		AD	2988000	6363000
Z15-14	R26	100m		AD	2988100	6363000
Z15-15	R28	100m		AO	2985200	6357600
Z15-16	R28	100m		AM	2985500	6357900
Z15-17	R28	100m		AM	2985600	6358000
Z15-18	R25	100m		AM	2985700	6358100
Z15-19	R25	100m		AO	2985800	6358200
Z15-20	R25	100m		AO	2985900	6358200
Z15-21	R28	100m		AM	2984700	6357800
Z15-22	R25	100m		AO	2987100	6358600
Z15-23	R25	100m		CF	2986900	6358700
Z15-24	R25	100m		AM	2987300	6358300
Z15-25	R25	100m		AO	2984100	6360800
Z15-26	R28	100m		AM	2982300	6357100
Z15-27	R28	100m		CD	2982300	6357200
Z15-28	R28	100m		AM	2982400	6356200
Z15-29	R28	100m		CD	2982400	6355700
Z15-30	R28	30m		AM	2981800	6355900
Z15-31	R28	30m		AO	2982700	6355300

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Z15-32	R28	30m		CD	2984000	6354700
Z15-33	R28	30m		AO	2984200	6355300
Z15-34	R28	30m		AM	2984400	6355400
Z15-35	R28	30m		AM	2985000	6355300
Z15-36	R28	30m		AP	2985100	6355300
Z15-37	R20	100m		AO	2993000	6368500
Z15-38	R20	100m		CD	2991800	6367800
Z15-39	U7	100m		CD	2986100	6364100
Z15-40	R24	100m		CD	2977500	6359100
Z15-41	R26	100m		CF	2988100	6362700
Z15-42	R26	100m		AP	2988700	6362100
Z15-43	R26	100m		AM	2988900	6362000
Z15-44	R26	100m		AP	2989300	6362000
Z15-45	R26	100m		AM	2989600	6362400
Z15-46	R26	100m		AP	2989800	6362800
Z15-47	R26	100m		AM	2990500	6363700
Z15-48	R20	15m		AM	2991129	6364212
Z15-49	R20	15m		AM	2991213	6364238
Z15-51	R20	100m		BL	2991000	6364900
Z15-52	R20	100m		CL	2990700	6364800
Z15-53	R26	100m		CF	2990000	6363900
Z15-54	R26	100m		AD	2989900	6363700
Z15-55	R26	100m		CD	2988400	6363700
Z15-56	R26	100m		AP	2988300	6363500
Z15-57	R25	100m		AP	2983900	6358800
Z15-58	R25	100m		AP	2983900	6358900
Z15-59	R25	100m		CF	2984300	6359600
Z15-60	R25	100m		AP	2983800	6360000
Z15-61	R25	100m		CF	2983500	6359600
Z15-62	R28	100m		AP	2981500	6353200
Z15-63	R28	100m		AO	2981600	6353100
Z15-64	R28	100m		CF	2981700	6353000
Z15-65	R28	100m		AO	2981700	6353100
Z15-66	R28	100m		AO	2982300	6352800
Z15-68	R28	100m		AM	2982600	6352800
Z15-69	R28	100m		AM	2982700	6352800
Z15-70	R28	100m		AO	2983100	6352500

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Z15-71	R28	100m		AM	2983200	6352600
Z15-72	R28	100m		CF	2984100	6352100
Z15-73	R28	100m		BL	2984100	6353100
Z15-74	R28	100m		AO	2984300	6353300
Z15-75	R28	100m		CD	2984400	6353400
Z15-76	R28	100m		AM	2984400	6354000
Z15-77	R25	100m		AO	2981000	6358600
Z15-78	R25	100m		AO	2981000	6358700
Z15-79	R25	100m		AO	2981200	6358800
Z15-80	R25	100m		CF	2981400	6359000
Z15-81	R25	100m		AD	2980900	6358900
Z15-82	R28	100m		CD	2980989	6353047
Z15-83	R34	100m		AO	2983200	6351500
Z15-84	R34	100m		AD	2983700	6351200
Z15-85	R34	100m		AP	2983500	6350900
Z15-86	R20	100m		AP	2993800	6368000
Z15-87	R20	100m		AP	2993700	6367700
Z15-88	R20	100m		CD	2993700	6367600
Z15-89	R20	100m		CD	2993300	6367400
Z15-90	R20	100m		AM/AT	2993600	6367400
Z15-91	R17	100m		AP	2987100	6365300
Z15-92	R17	100m		AM	2986200	6365700
Z15-93	R17	100m		AM	2986100	6365600
Z15-94	R28	100m		CD	2983800	6356200
Z15-95	R28	100m		AM	2983000	6356900
Z15-96	R28	30m		AM	2981100	6352900
Z15-97	R28	30m		AM	2980900	6352800
Z15-98	R28	100m		AM	2982200	6352500
Z15-99	U14	100m		CO	2978100	6353000
Z15-100	R25	100m		AM	2986800	6358400
Z15-101	R25	100m		BW	2986900	6358400
Z15-102	R25	100m		AM	2987300	6358300
Z15-107	U7	100m		AF	2986300	6364900
Z15-108	R32	100m		CD	2970900	6343500
Z15-109	R20	100m		AD	2989300	6365800
Z15-110	R17	100m		AD	2986000	6365700
Z15-111	R25	100m		AD	2980900	6359000

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Z15-112	R28	100m		AM	2980400	6357700
Z15-113	R24	100m		AD	2979700	6358500
Z15-114	R25	100m		AD	2980200	6360900
Z15-115	R25	100m		AM	2985300	6361900
Z15-116	R25	100m		AD	2985300	6362100
Z15-117	R25	100m		AD	2985200	6362000
Z15-118	R25	100m		AP	2985200	6362200
Z15-119	R25	100m		AM	2984800	6362000
Z15-120	R25	100m		AD	2985000	6361900
Z15-121	R25	100m		AD	2985200	6361400
Z15-122	R25	100m		AD	2982500	6361700
Z15-123	R24	100m		AM	2977400	6358700
Z15-124	R25	100m		CD	2984200	6363100
Z15-125	R20	100m		AD	2991300	6367300
Z15-126	R27	100m		AO	2974400	6352100
Z15-127	R34	100m		AD	2983500	6349500
Z15-128	R34	100m		CD	2981200	6350700
Z15-129	R27	100m		AM	2974200	6354800
Z16-2	R51	100m		AA	2976800	6318000
Z16-3	R51	100m		AD	2977700	6318600
Z16-4	R41	100m		CD	2978800	6337300
Z16-5	R41	100m		AO	2978800	6337300
Z16-8	R51	30m		CE	2976940	6317680
Z16-9	R51	30m		AO	2976780	6317780
Z16-10	R51	30m		CH	2975576	6317594
Z16-11	R51	30m		AM	2975406	6317672
Z16-12	R51	30m		AM	2975057	6317955
Z16-13	R51	30m		AM	2975215	6317881
Z16-14	R51	100m		AM	2975300	6318100
Z16-15	R51	100m		AM	2975200	6318300
Z16-16	R51	100m		AO	2975100	6318500
Z16-17	R51	30m		AM	2976208	6318192
Z16-18	R51	30m		EL	2974759	6316481
Z16-23	R49	100m		AM	2971200	6317100
Z16-24	R49	100m		AM	2970800	6316000
Z16-25	R57	30m		AO	2970769	6315436
Z16-29	R57	30m		AO	2970120	6314014

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Z16-30	R57	30m		AM	2970068	6309984
Z16-31	R58	30m		AO	2975244	6313812
Z16-32	R58	30m		AO	2975366	6313810
Z16-33	R58	30m		AP	2976170	6313100
Z16-34	R58	30m		AD	2975840	6314067
Z16-35	R58	30m		AP	2976030	6313220
Z16-36	R58	100m		AM	2975800	6313600
Z16-37	R58	100m		CF	2975800	6313700
Z16-38	R58	30m		AD	2975832	6313893
Z16-39	R58	30m		CD	2975180	6313452
Z16-40	R58	30m		AP	2975411	6313354
Z16-41	R58	30m		AP	2975189	6313204
Z16-42	R58	30m		CD	2975740	6313310
Z16-43	R58	30m		AO	2975466	6313311
Z16-45	R51	100m		AO	2972488	6316624
Z16-46	R51	100m		AM	2972639	6316721
Z16-47	R51	10m		AM	2973740	6316825
Z16-48	R51	10m		AM	2973770	6316530
Z16-49	R51	20m		AM	2973895	6316530
Z16-50	R51	10m		AM	2974293	6316369
Z16-51	R51	10m		AM	2974310	6316447
Z16-52	R51	20m		AM	2974232	6316782
Z16-53	R51	10m		AM	2974694	6317320
Z16-54	R51	30m		AM	2974900	6317400
Z16-55	R51	30m		AM	2974900	6317100
Z16-56	R51	100m		AM	2975000	6317400
Z16-57	R51	100m		AO	2974800	6317200
Z16-58	R51	30m		AA	2974648	6316104
Z16-59	R51	30m		AO	2975500	6317050
Z16-60	R58	30m		CF	2974180	6313820
Z16-61	R58	30m		CO	2974111	6313436
Z16-62	R57	100m		AD	2971000	6311400
Z16-63	R57	100m		AP	2970700	6311400
Z16-64	R57	30m		CD	2970433	6314800
Z16-65	R57	30m		CO	2970580	6314778
Z16-66	R57	30m		AO	2970973	6314589
Z16-67	R57	30m		AM	2971321	6314490

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Z16-68	R58	100m		AO	2974120	6314690
Z16-69	R58	100m		AO	2974190	6315437
Z16-70	R58	100m		AO	2974294	6315392
Z16-71	R58	100m		AM	2973659	6315743
Z16-72	R58	100m		AM	2973077	6315482
Z16-73	R51	100m		AM	2972773	6316020
Z16-74	R51	100m		CF	2972761	6316178
Z16-75	R58	100m		CF	2973117	6315345
Z16-76	R58	100m		AM	2973635	6315116
Z16-77	R58	100m		AO	2974179	6315296
Z16-78	R58	100m		AO	2974002	6315202
Z16-79	R58	100m		AO	2974598	6315117
Z16-80	R58	100m		AM	2974781	6314845
Z16-81	R58	100m		CO	2974937	6314767
Z16-82	R58	30m		CO	2974367	6313167
Z16-83	R58	30m		AM	2974475	6313023
Z16-84	R58	30m		AM	2974502	6313229
Z16-85	R58	100m		AO	2976235	6312737
Z16-86	R58	100m		AO	2976003	6312661
Z16-87	R58	100m		CF	2975900	6312500
Z16-88	R58	100m		CF	2975900	6310700
Z16-89	R58	100m		CF	2975700	6310800
Z16-90	R58	100m		CD	2976105	6311446
Z16-91	R58	100m		CF	2976163	6311285
Z16-92	R57	100m		CF	2970000	6310500
Z16-93	R57	30m		CF	2970072	6313517
Z16-94	R57	30m		CF	2970024	6313383
Z16-95	R49	100m		CO	2970900	6317000
Z16-96	R49	100m		CO	2971600	6323400
Z16-97	R49	100m		CO	2970900	6323700
Z16-98	R49	100m		CO	2972400	6327800
Z16-99	R49	100m		CO	2971900	6327700
Z16-100	R49	100m		CO	2971800	6327700
Z16-102	R49	30m		CO	2971211	6321898
Z16-103	R49	100m		CO	2971400	6322700
Z16-104	R49	30m		CF	2970839	6322104
Z16-105	R49	100m		CF	2970700	6322700

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Z16-108	R40	100m		CF	2970500	6329200
Z16-109	R40	100m		CO	2970300	6329500
Z16-110	R50	100m		CF	2973000	6326300
Z16-111	R43	30m		CF	2973600	6328200
Z16-113	R43	100m		AO	2972900	6328800
Z16-114	R49	100m		CO	2970800	6316800
Z16-115	R49	100m		CO	2970600	6316800
Z16-116	R49	100m		CF	2970500	6317300
Z16-117	R51	100m		AM	2975200	6317800
Z16-118	R43	30m		CO	2973284	6328919
Z16-119	R43	100m		AP	2973500	6328700
Z16-120	R43	30m		AP	2973364	6328944
Z16-121	R43	30m		CO	2973343	6329071
Z16-122	R50	100m		AO	2973200	6325100
Z16-123	R50	100m		AO	2973800	6324800
Z16-124	R49	10m N&S, 30m E&W		AM	2971500	6318300
Z16-125	R49	30m		CO	2970852	6318225
Z16-126	R49	10m & 30m towards the track		CO	2970710	6319167
Z16-127	R49	100m		CO	2971800	6324100
Z16-128	R49	100m		CO	2972100	6323900
Z16-129	R49	100m		CO	2972400	6324300
Z16-130	R49	100m		AM	2972400	6323900
Z16-131	R50	100m		AM	2974100	6324900
Z16-132	R58	100m		AP	2976700	6314500
Z16-133	R51	100m		AO	2973700	6316650
Z16-134	R51	100m		AD	2972689	6316565
Z16-135	R51	10m E&W, 30m N&S		AO	2973740	6317005
Z16-136	R58	100m		CF	2975173	6314581
Z16-137	R58	30m		AD	2975030	6314328
Z16-138	R58	30m		AM	2974392	6314175
Z16-139	R51	30m		AO	2972623	6316867
Z16-140	R50	100m		AG	2979600	6322400
Z16-141	R50	30m		EF	2978970	6322183
Z16-143	R58	30m		CD	2974910	6313636
Z16-146	R51	100m		AO	2976920	6320172
Z16-147	R51	100m		AM	2976654	6320230

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Z16-148	R51	100m		AM	2976558	6320658
Z16-149	R51	100m		AP	2976143	6320522
Z16-150	R51	100m		AO	2976333	6319214
Z16-151	R51	100m		AO	2976039	6319880
Z16-152	R51	100m		AO	2976203	6319951
Z16-153	R51	100m		AM	2976312	6319950
Z16-154	R51	100m		AO	2976255	6319750
Z16-155	R51	100m		AM	2976514	6319626
Z16-156	R51	30m		AA	2976900	6318600
Z16-157	R51	30m		AV	2976836	6318097
Z16-159	R51	100m		AM	2974600	6318300
Z16-160	R51	100m		AO	2975100	6318800
Z16-161	R51	100m		AO	2975702	6318660
Z16-162	R51	100m		AO	2975943	6318334
Z16-163	R51	100m		AM	2976049	6318266
Z16-164	R51	100m		AO	2977779	6321523
Z16-165	R51	100m		AM	2977400	6321700
Z16-166	R50	100m		AP	2977900	6322000
Z16-167	R50	100m		AO	2977500	6322300
Z16-168	R50	100m		AO	2978000	6322700
Z16-169	R50	100m		AM	2977800	6322900
Z16-170	R51	100m		AM	2978701	6321720
Z16-171	R51	100m		AM	2978400	6321600
Z16-172	R51	100m		AM	2978204	6321518
Z16-173	R51	100m		AM	2978356	6321369
Z16-174	R51	100m		CD	2977840	6321009
Z16-175	R51	30m		AA	2977595	6320817
Z16-177	R51	30m		BG	2977424	6320542
Z16-178	R51	100m		CD	2976946	6319449
Z16-179	R51	30m		CE	2977439	6320600
Z16-180	R51	100m		AO	2977293	6320794
Z16-181	R51	100m		AM	2976561	6321808
Z16-182	R51	100m		AM	2976605	6321635
Z16-183	R51	100m		AM	2976785	6321536
Z16-184	R51	100m		AM	2976800	6321300
Z16-185	R51	100m		AO	2976959	6321204
Z16-186	R51	100m		AO	2977223	6321042

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Z16-187	R51	30m		AM	2977439	6320597
Z16-188	R51	100m		AM	2977354	6320482
Z16-189	R51	100m		AA	2977328	6320413
Z16-190	R51	100m		AM	2977102	6320257
Z16-191	R51	30m		AO	2977004	6320378
Z16-192	R51	100m		AD	2978700	6321400
Z16-193	R51	30m		AM	2976661	6317921
Z16-194	R51	30m		AM	2976609	6318427
Z16-195	R51	30m		AO	2976509	6318660
Z16-196	R51	30m		AM	2976478	6318872
Z16-199	R51	30m		AD	2975347	6321022
Z16-200	R51	100m		AO	2975275	6318748
Z16-202	R51	30m		AO	2975546	6318835
Z16-203	R51	30m		AO	2975917	6318931
Z16-204	R51	30m		AO	2975938	6318773
Z16-207	R42	100m		AV	2980300	6334200
Z16-208	R44	100m		AD	2981200	6333800
Z16-210	R49	20m		AO	2970725	6319395
Z16-211	R49	10m N & S, 30m E & W		AO	2971351	6318243
Z16-212	R49	20m		AM	2972464	6317035
Z17-2	R59	100m		AD	2977800	6309800
Z17-3	R67	30m	6626	AD	2971202	6301866
Z17-4	R67	30m	6627	CD	2971426	6301397
Z17-5	U29	100m		AD	2971500	6301900
Z17-7	R59	100m		AD	2977100	6309700
Z17-8	R59	30m		CF	2976989	6309685
Z17-9	R82	30m		AD	2971300	6290758
Z17-10	R59	100m		AM	2976858	6309312
Z17-12	R59	30m		CD	2975310	6307348
Z17-13	R59	30m		AM	2975530	6308035
Z17-15	R59	30m		AA	2975686	6308195
Z17-16	R69	30m		CD	2972300	6292800
Z17-17	R59	30m		CH	2975761	6308246
Z17-19	R70	30m		CI	2973314	6293647
Z17-20	R70	30m		AA	2973035	6293316
Z17-21	R70	30m		CF	2975000	6294900
Z17-22	R70	30m		AM	2975000	6294900

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Z17-23	R70	30m		AM	2975000	6295000
Z17-24	U29	100m		CD	2971680	6301700
Z17-28	R82	100m		CD	2971840	6291866
Z17-29	R82	30m		AD	2971208	6290712
Z17-31	R70	100m	6628	CD	2974989	6296453
Z17-33	R70	30m		AA	2974419	6294673
Z17-34	R70	100m		CD	2973182	6295474
Z17-35	R59	30m		CD	2975900	6306300
Z17-36	R57	100m		AO	2970924	6306939
Z17-37	R70	30m		CD	2974993	6297661
Z17-38	R59	30m		AD	2975588	6305161
Z17-39	R59	30m		EI	2975337	6304130
Z17-40	R68	30m		AA	2975440	6303919
Z17-41	R68	30m		CO	2975189	6304002
Z17-44	R68	100m		BL	2975400	6304000
Z17-46	R70	30m		CD	2973750	6295068
Z17-47	R70	30m		CF	2974106	6294721
Z17-48	R70	30m		AM	2973682	6294924
Z17-50	R70	100m		AM	2973874	6294526
Z17-51	R70	30m		AM	2973900	6294600
Z17-52	R70	30m		CF	2973500	6294700
Z17-53	R70	30m		AM	2973600	6294600
Z17-54	R70	30m		AM	2973664	6294511
Z17-56	R70	30m		AM	2973626	6294748
Z17-57	R70	30m		CF	2972725	6294861
Z17-58	R70	30m		CF	2972880	6294563
Z17-59	R70	30m		CF	2973025	6294256
Z17-60	R70	30m		AM	2973022	6294317
Z17-61	R70	30m		AM	2973180	6294082
Z17-62	R59	30m		CF	2975300	6306952
Z17-63	R57	30m		AM	2970112	6309949
Z17-64	R57	100m		AM	2970388	6309735
Z17-65	R57	30m		AM	2970315	6309603
Z17-68	R69	30m		AM	2971348	6296733
Z17-69	R69	30m		AM	2971197	6296681
Z17-70	R69	30m		AM	2971200	6296900
Z17-71	R69	30m		AM	2971073	6296889

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Z17-72	R69	30m		AO	2971084	6297074
Z17-73	R69	30m		AO	2970763	6296632
Z17-74	R69	30m		AM	2971253	6297212
Z17-75	R69	30m		AM	2971139	6297264
Z17-76	R69	30m		AM	2970598	6296181
Z17-77	R69	30m		CD	2970748	6296437
Z17-78	R69	30m		AO	2970589	6296508
Z17-79	R69	30m		AM	2970626	6296612
Z17-80	R69	30m		AM	2970167	6296718
Z17-81	R69	30m		AM	2970590	6297131
Z17-82	R69	30m		AO	2970752	6297368
Z17-83	R69	30m		AO	2970740	6297332
Z17-85	R69	30m		AM	2970579	6297415
Z17-86	R69	30m		AO	2970488	6297212
Z17-87	R69	100m		AM	2970355	6297158
Z17-88	R69	30m		AM	2971337	6297179
Z17-90	R69	30m		AO	2971470	6297254
Z17-91	R69	30m		AO	2971338	6297360
Z17-92	R69	30m		AO	2971492	6297696
Z17-94	R69	30m		AO	2971997	6297817
Z17-95	R69	30m		AM	2971661	6297800
Z17-96	R67	30m		AM	2971337	6298189
Z17-97	R69	30m		AM	2971160	6297911
Z17-98	R69	100m		AO	2971301	6297736
Z17-100	R69	30m		AO	2971074	6297638
Z17-101	R69	30m		AM	2971012	6297758
Z17-102	R67	30m		AO	2972228	6298416
Z17-103	R67	30m		AO	2972148	6298485
Z17-104	R67	30m		AM	2971785	6298245
Z17-107	R67	30m		AO	2972398	6299270
Z17-108	R67	30m		AO	2972183	6299295
Z17-109	R67	30m		AM	2972236	6299204
Z17-110	R67	30m		AM	2972154	6299117
Z17-111	R67	30m		AO	2972229	6299099
Z17-112	R68	30m		AO	2972314	6299136
Z17-113	R68	30m		AM	2972682	6298929
Z17-114	R68	30m		AM	2972544	6298861

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Z17-115	R68	30m		AO	2973221	6298763
Z17-116	U33	30m		AO	2972001	6298902
Z17-117	R68	30m		AM	2972941	6299035
Z17-118	U33	30m		AM	2973300	6299240
Z17-119	U33	30m		AM	2973069	6299220
Z17-120	U33	30m		AM	2973318	6299133
Z17-121	U33	30m		CH	2972947	6299070
Z17-122	U33	30m		AM	2972978	6299079
Z17-124	R67	30m		AM	2971786	6300060
Z17-125	U31	30m		AM	2971700	6300300
Z17-126	R67	30m		AM	2970673	6298694
Z17-127	R67	30m		AM	2970949	6298973
Z17-128	R67	30m		AM	2970827	6298660
Z17-129	R67	30m		AO	2971104	6298553
Z17-131	R69	30m		AM	2970906	6297859
Z17-132	R69	30m		AO	2970760	6297803
Z17-133	R69	30m		AM	2970605	6297735
Z17-134	R67	30m		AM	2970428	6299673
Z17-135	R67	30m		AM	2970161	6299573
Z17-137	R67	30m		AM	2970034	6299140
Z17-138	R67	30m		AM	2970151	6299324
Z17-139	R67	30m		AO	2970305	6299176
Z17-142	R59	30m		AA	2975275	6307138
Z17-143	R69	30m		AO	2972200	6292500
Z17-144	R70	30m		AA	2973453	6293885
Z17-145	R70	30m		CH	2973699	6294129
Z17-148	R82	30m		AM	2970300	6286182
Z17-150	R83	30m		CH	2970600	6285300
Z17-151	R83	100m		AD	2970860	6285082
Z17-152	R82	30m		AA	2970719	6286676
Z17-155	R83	30m	6629	AA	2970234	6283206
Z17-156	R59	100m		AD	2976686	6309205
Z17-157	R70	30m		AA	2973100	6293400
Z17-159	R70	30m		AD	2974620	6294697
Z17-160	U30	30m		AP	2973693	6302179
Z17-161	U30	30m		AP	2974061	6302312
Z17-162	U30	30m		AP	2974204	6302399

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Z17-163	R68	30m		AO	2974445	6302700
Z17-164	R68	30m		AO	2974438	6302930
Z17-165	R68	30m		CO	2974662	6303131
Z17-166	R68	30m		AO	2974102	6302571
Z17-168	R57	30m		CO	2970892	6306115
Z17-171	R67	30m		AM	2971089	6301874
Z17-172	R67	30m		AA	2971200	6302000
Z17-173	R59	30m		AM	2974100	6305445
Z17-175	R59	30m		AM	2974441	6305601
Z17-176	R59	30m		CO	2974950	6306700
Z17-177	R59	30m		AM	2974276	6305126
Z17-178	R59	30m		AP	2974100	6304400
Z17-179	R68	30m		CO	2974135	6303373
Z17-180	R68	30m		AO	2974305	6303354
Z17-181	R68	30m		CO	2973388	6303548
Z17-182	R59	30m		AO	2973400	6304800
Z17-183	R59	30m		AO	2973656	6304213
Z17-184	R68	30m	6630	CO	2975783	6299720
Z17-185	R68	30m	6631	CF	2975750	6299770
Z17-186	R68	30m	6632	AO	2975667	6299717
Z17-187	R68	30m		AM	2975600	6299400
Z17-188	R68	30m	6633	CF	2975419	6299025
Z17-189	R68	30m	6634	AM	2975282	6298872
Z17-190	R68	30m		CO	2974919	6298620
Z17-191	R68	30m		CF	2974739	6298626
Z17-192	R68	30m	6635	CO	2974876	6298444
Z17-193	R68	30m	6636	AP	2974932	6298123
Z17-194	R68	30m	6637	CO	2974388	6298178
Z17-195	R68	30m		CO	2974393	6298383
Z17-196	R68	30m		CO	2974437	6298447
Z17-197	R68	30m		AM	2974363	6298671
Z17-200	R68	30m		AP	2974714	6299518
Z17-201	R59	30m		AP	2972812	6309209
Z17-202	R59	30m		AO	2972400	6309250
Z17-203	R59	30m		CF	2972776	6309341
Z17-204	R57	30m		CF	2972200	6309300
Z17-205	R57	100m		AM	2971600	6309500

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Z17-206	R57	100m		AO	2971500	6309000
Z17-207	R57	100m		CF	2971000	6308000
Z17-209	R57	30m		CF	2970885	6305196
Z17-210	R67	30m	6638	CO	2970303	6302685
Z17-211	R68	30m		AD	2972500	6303800
Z17-212	R67	100m		AO	2971200	6302300
Z17-213	R67	30m		AP	2970945	6301840
Z17-215	R59	30m		AO	2973637	6308552
Z17-216	R59	30m		AO	2973753	6308539
Z17-217	R59	30m		CO	2974559	6308845
Z17-221	R67	30m	6639	AD	2970390	6302908
Z17-222	R68	30m		AO	2974502	6298992
Z17-224	R57	30m		AM	2971477	6306252
Z17-225	R57	30m		AO	2971143	6306265
Z17-226	R57	30m		CO	2970901	6306395
Z17-227	R57	30m		CF	2970925	6306666
Z17-228	R57	30m		CO	2970915	6306804
Z17-229	R67	30m	6640	CO	2971297	6301314
Z17-230	R68	30m		CD	2976700	6299600
Z17-231	R68	30m		AA	2976550	6299300
Z17-233	R68	30m	6642	AM	2975899	6298106
Z17-234	R68	30m	6643	CO	2975951	6298163
Z17-235	R68	30m		AO	2975955	6298322
Z17-239	R70	30m		AO	2973847	6295930
Z17-240	R70	30m		CO	2972700	6294800
Z17-241	R70	30m		CO	2972600	6296500
Z17-242	R70	30m		AO	2972718	6296627
Z17-243	R70	30m		AO	2972841	6296781
Z17-244	R70	30m		CF	2973039	6297238
Z17-245	R70	30m		AO	2973267	6297930
Z17-246	R70	30m		AM	2973357	6297687
Z17-248	R70	30m		CF	2973092	6297855
Z17-249	R68	30m		CO	2973303	6298107
Z17-250	R70	30m		CO	2973195	6297430
Z17-251	R70	30m		AO	2973094	6297655
Z17-252	R70	100m	6644	CD	2974488	6295813
Z17-253	R70	30m	6645	AO	2974600	6296200

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Z17-254	R70	30m		CO	2974962	6296823
Z17-255	R70	100m	6646	AM	2974890	6296725
Z17-256	R70	30m		AP	2975039	6297193
Z17-258	R69	100m		AO	2972150	6296900
Z17-259	R69	100m		AO	2972200	6296700
Z17-260	R69	100m		CO	2972300	6296400
Z17-261	R70	30m		CO	2972517	6297261
Z17-262	R70	30m		CO	2973384	6297944
Z17-263	R68	30m		AO	2973563	6298083
Z17-264	R68	30m		AO	2975796	6298192
Z17-265	R70	30m	6647	CD	2975654	6297940
Z17-266	R68	30m		AM	2975580	6298193
Z17-267	R68	30m	6648	AO	2975704	6298492
Z17-268	R68	30m		CF	2975625	6298643
Z17-269	R68	30m	6649	AO	2975385	6298350
Z17-270	R68	30m		CF	2975242	6298510
Z17-272	R68	30m	6650	AM	2974222	6298057
Z17-273	R70	30m		CO	2973822	6297037
Z17-274	R70	30m		CO	2973806	6296792
Z17-275	R70	30m		CO	2974365	6297394
Z17-277	R70	30m		AO	2974427	6297250
Z17-279	R70	30m		CO	2974684	6296863
Z17-280	U33	30m	6651	CO	2974331	6298917
Z17-281	R68	30m		CO	2974281	6298477
Z17-282	R69	30m		CF	2971373	6295982
Z17-283	R69	100m		CO	2971815	6296259
Z17-284	R69	30m		CO	2971445	6295581
Z17-285	R69	30m		CO	2971220	6295660
Z17-286	R70	30m		CO	2973112	6296460
Z17-288	R70	30m		AM	2973871	6295755
Z17-290	R69	30m		AA	2972500	6293000
Z17-292	R82	30m		CO	2970000	6286700
Z17-293	R82	30m		AM	2970314	6286635
Z17-294	R82	30m		CO	2970550	6286511
Z17-303	R83	30m		CD	2971039	6284115
Z17-305	R83	30m		DX	2970400	6283500
Z17-306	R83	30m		AA	2970444	6283233

Site number	Planning Map	Buffer Distance (Diameter (m))	HPT registration	Type code	Easting	Northing
Z17-307	R83	30m		CO	2970200	6283100
Z17-309	R83	30m		CO	2970156	6283421
Z17-310	R68	100m	6652	CD	2975959	6300037
Z17-311	R68	30m	6653	AA	2976152	6299868
Z17-312	R83	30m	6654	AO	2970100	6282700
Z17-313	R83	30m	6655	AO	2970058	6282631
Z17-314	R59	40m west, 70m east, 25m north, 10m south		CE	2976474	6308954
Z17-315	R68	30m		AB	2976000	6299800
Z17-317	R59	30m		AM	2975781	6308625
Z17-318	R59	30m		FY	2975600	6308300
Z17-319	R59	30m		AM	2975200	6308100
Z17-321	R70	100m		CF	2975300	6296400
Z17-322	R70	30m		CF	2975400	6296500
Z17-323	R70	30m		CF	2975200	6295800
Z17-324	R68	30m		CF	2975800	6298900
Z17-325	R69	30m		AD	2972100	6292500
Z17-326	R59	15m		AM	2976384	6309205
Z17-353	R59	30m		AM	2976892	6309843
Z17-354	R59	30m		AM	2976862	6309628
Z17-355	R59	15m		AM	2976642	6309491
Z17-356	R59	15m		AM	2975547	6308920
Z17-357	R59	30m		AP	2975796	6309329
Z17-358	R59	15m		AP	2975850	6308996
Z17-359	R59	15m		AP	2976649	6309011
Z17-360	R59	30m		AP	2974989	6308689

APPENDIX 1A : ARCHAEOLOGICAL AREA SCHEDULE

Ref No	Valuation No.	Legal Description	Location
ARA 1	0817030200	Marau Block	Marau Block, Kaiuaa
ARA 2	0825015503	Lot 1 DP 8958	State Highway 2, Ormond